

- [1] R. Balbierer, R. Gordon, S. Schuhmann, N. Willenbacher, H. Nirschl, G. Guthausen Sedimentation of Lithium-Iron-Phosphate and Carbon Black Particles in Opaque Suspensions used for Lithium-Ion-Battery Electrodes, *J Mater Sci*, accepted, Dec. 2018 (2019).
- [2] S. Schuhmann, J.W. Simkins, N. Schork, S.L. Codd, J.D. Seymour, M. Heijnen, F. Saravia, H. Horn, H. Nirschl, G. Guthausen, Characterization and quantification of structure and flow in multichannel polymer membranes by MRI, *J. Membrane Sci.*, 570-571 (2019) 472-480.
- [3] M.A. Vargas, M. Scheubner, G. Guthausen, Reaction kinetics of polyfurfuryl alcohol bioresin and nanoparticles by ^1H -NMR transverse relaxation measurements, *Polym Composite*, 39 (2018) 3280-3288
- [4] N. Schork, S. Schuhmann, F. Arndt, S. Schütz, G. Guthausen, H. Nirschl, MRI investigations of filtration: Fouling and cleaning processes, *Micropor. Mesopor. Mat.*, 269 (2018) 60-64.
- [5] E. Laryea, N. Schuhardt, G. Guthausen, T. Oerther, M. Kind, Construction of a temperature controlled Rheo-NMR measuring cell – Influence of fluid dynamics on PMMA-polymerization kinetics, *Micropor. Mesopor. Mat.*, 269 (2018) 65-70.
- [6] F. Klemens, S. Schuhmann, G. Guthausen, G. Thäter, M.J. Krause, CFD-MRI: A coupled measurement and simulation approach for accurate fluid flow characterisation and domain identification, *Comput Fluids*, 166 (2018) 218-224.
- [7] C. Linke, G. Guthausen, E. Flöter, S. Drusch, Solid Fat Content Determination of Dispersed Lipids by Time-Domain NMR, *Eur. J. Lipid Sci. Tech.*, 1700132 (2018) 1-8.
- [8] V. Röntzsch, M. Haas, M.B. Özen, K.-F. Rätzsch, K. Riazi, S. Kauffmann-Weiss, J.K. Palacios, A.J. Müller, I. Vittorias, G. Guthausen, M. Wilhelm, Polymer crystallinity and crystallization kinetics via benchtop ^1H NMR relaxometry: Revisited method, data analysis, and experiments on common polymers, *Polymer*, 145 (2018) 162-173.
- [9] M. Kespe, E. Förster, H. Nirschl, G. Guthausen, Flowing Liquids in NMR: Numerical CFD Simulation and Experimental Confirmation of Magnetization Buildup, *Appl. Magn. Reson.*, 49 (2018) 687-705.
- [10] X. Guo, S. Theissen, J. Claussen, V. Hildebrand, J. Kamphus, M. Wilhelm, B. Luy, G. Guthausen, Topological Insight into Superabsorbent Hydrogel Network Structures: a ^1H Double-Quantum NMR Study, *Macromol. Chem. Phys.*, 219 (2018) 1800100.
- [11] S. Schuhmann, N. Schork, K. Beller, H. Nirschl, T. Oerther, G. Guthausen, In-situ characterization of deposits in ceramic hollow fiber membranes by compressed sensing RARE-MRI, *Aiche J*, 64 (2018) 4039–4046.
- [12] N. Schork, S. Schuhmann, H. Nirschl, G. Guthausen In situ measurement of deposit layer formation during skim milk filtration by MRI, *Magn. Res. Chem.*, accepted Dec. 2018 (2019).
- [13] V. Röntzsch, M.B. Özen, K. Rätzsch, E. Stellamanns, M. Sprung, G. Guthausen, M. Wilhelm Polymer crystallization studied by hyphenated rheology techniques: RheoNMR, RheoSAXS, and RheoMicroscopy, *Macromol. Mater. Eng.*, 1800586 (2018) 1-14.
- [14] M.-L. Maier, S. Milles, S. Schuhmann, G. Guthausen, H. Nirschl, M.J. Krause, Fluid flow simulations verified by measurements to investigate adsorption processes in a static mixer, *Comput Math Appl*, 76 (2018) 2744-2757.
- [15] X. Guo, S. Theissen, J. Claussen, V. Hildebrand, J. Kamphus, M. Wilhelm, B. Luy, G. Guthausen, Dynamics of Sodium Ions and Water in Swollen Superabsorbent Hydrogels as Studied by ^{23}Na - and ^1H -NMR, *Macromol. Chem. Phys.*, (2018) 1800350, 1800351-1800311.
- [16] E. Förster, H. Nirschl, G. Guthausen, NMR Diffusion and Relaxation for Monitoring of Degradation in Motor Oils, *Appl. Magn. Reson.*, 48 (2017) 51-65.
- [17] F. Arndt, S. Schuhmann, G. Guthausen, S. Schütz, H. Nirschl, In situ MRI of alginate fouling and flow in ceramic hollow fiber membranes, *J. Membrane Sci.*, 524 (2017) 691-699.
- [18] D. Groß, K. Zick, G. Guthausen, Recent MRI and Diffusion Studies of Food Structures, *Annu. Rep. NMR Spectr.*, 90 (2017) 145-197.
- [19] G. Guthausen, Diffusometric Assessment of Food Double Emulsions, in: G.A. Webb (Ed.) *Modern Magnetic Resonance*, Springer International Publishing, Cham, 2017, pp. 1-13.
- [20] S. Bestgen, O. Fuhr, B. Breitung, V.S. Kiran Chakravadhanula, G. Guthausen, F. Hennrich, W. Yu, M.M. Kappes, P.W. Roesky, D. Fenske, $[\text{Ag}_{115}\text{S}_{34}(\text{SCH}_2\text{C}_6\text{H}_4 \text{ Bu-t})(47)(\text{dpph})(6)]$: synthesis, crystal

- structure and NMR investigations of a soluble silver chalcogenide nanocluster, *Chem. Sci.*, 8 (2017) 2235-2240.
- [21] V. Röntzsch, M.B. Özen, K.-F. Rätzsch, G. Guthausen, M. Wilhelm, Shear Rheology and 1H TD-NMR Combined to Low-Field RheoNMR: Set-Up and Application to Quiescent and Flow-Induced Crystallization of Polymers, in: *AIP Conference Proceedings 1843* (Ed.) *Novel Trends in Rheology VII*, 2017.
- [22] M.P. Herrling, J. Weisbrodt, C.M. Kirkland, N.H. Williamson, S. Lackner, S.L. Codd, J.D. Seymour, G. Guthausen, H. Horn, NMR investigation of water diffusion in different biofilm structures, *Biotechnol. Bioeng.*, 114 (2017) 2857-2867.
- [23] X. Guo, E. Laryea, M. Wilhelm, B. Luy, H. Nirschl, G. Guthausen, Diffusion in Polymer Solutions: Molecular Weight Distribution by PFG-NMR and Relation to SEC, *Macromol. Chem. Phys.*, 218 (2017) 1600440; 1600441-1600410.
- [24] S. Pollnow, A. Noshadi, M. Kircher, G. Guthausen, T. Oerther, O. Dössel, 3D reconstruction of ablation lesions from in-vitro preparations using MRI, in: *Current Directions in Biomedical Engineering*, 2017, pp. 437.
- [25] N.H. Schork, H.-J.; Schopf, R.; Arndt, F.; Schuhmann, S.; Guthausen, G.; Nirschl, H.; Kulozik, U., Milk protein fractionation by means of microfiltration, An in-situ investigation of fouling formation on hollow fiber membranes – Part 3, *International Dairy Magazine*, 10 (2017) 3.
- [26] F. Ranzinger, M.P. Herrling, S. Lackner, V.W. Grande, A. Baniodeh, A.K. Powell, H. Horn, G. Guthausen, Direct surface visualization of biofilms with high spin coordination clusters using magnetic resonance imaging, *Acta Biomaterialia*, 31 (2016) 167–177.
- [27] M.P. Herrling, S. Lackner, O. Tatti, G. Guthausen, M. Delay, M. Franzreb, H. Horn, Short and long term biosorption of silica-coated iron oxide nanoparticles in heterotrophic biofilms, *Sci Total Environ*, 544 (2016) 722-729.
- [28] V. Röntzsch, M. Wilhelm, G. Guthausen, Hyphenated low-field NMR techniques: combining NMR with NIR, GPC/SEC and rheometry, *Magn. Res. Chem.*, 54 (2016) 494–501.
- [29] G. Guthausen Analysis of food and emulsions, *Trends in Analytical Chemistry*, 83 (2016) 103-105.
- [30] F. Arndt, U. Roth, H. Nirschl, S. Schütz, G. Guthausen, New Insights into Sodium Alginate Fouling of Ceramic Hollow Fiber Membranes by NMR Imaging, *Aiche J*, 62 (2016) 2459-2467.
- [31] R. Bernewitz, G. Guthausen, H.P. Schuchmann, Imaging of Double Emulsions, in: N. Sozer (Ed.) *Imaging Technologies and Data Processing for Food Engineers*, Springer Cham Heidelberg New York Dordrecht London, 2016, pp. 69-98.
- [32] F. Arndt, H.-J. Heidebrecht, N. Schork, S. Schuhmann, U. Kulozik, S. Schütz, H. Nirschl, G. Guthausen, Deposit layer formation during skim milk dead-end filtration with ceramic hollow fiber membranes using magnetic resonance imaging, in: J. van Duynhoven, G. Guthausen (Eds.) *Proceedings of the XIII International Conference on the Applications of Magnetic Resonance in Food Science*, impublications, *MR in Food 2016*, 2016, pp. 55-59.
- [33] L. Vermeir, P. Sabatino, M. Balcaen, A. Declerck, K. Dewettinck, J.C. Martins, G. Guthausen, P. Van der Meeren, Effect of molecular exchange on water droplet size analysis as determined by diffusion NMR: The W/O/W double emulsion case, *J. Colloid Interf. Sci.*, 475 (2016) 57-65.
- [34] E. Hildebrandt, A. Dessy, J.-H. Sommerling, G. Guthausen, H. Nirschl, G. Leneweit, Interactions between Phospholipids and Organic Phases: Insights into Lipoproteins and Nanoemulsions, *Langmuir*, 32 (2016) 5821-5829.
- [35] E. Hildebrandt, J.-H. Sommerling, G. Guthausen, K. Zick, J. Stürmer, H. Nirschl, G. Leneweit, Phospholipid adsorption at oil in water versus water in oil interfaces: Implications for interfacial densities and bulk solubilities, *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 505 (2016) 56-63.
- [36] L. Jampolski, A. Sanger, T. Jakobs, G. Guthausen, T. Kolb, N. Willenbacher, Improving the processability of coke water slurries for entrained flow gasification, *Fuel*, 185 (2016) 102-111.
- [37] M.B. Özen, V. Röntzsch, K.-F. Rätzsch, G. Guthausen, M. Wilhelm Low-Field Rheo-NMR: Newly Developed Combination of Rheology and 1H TD-NMR to Correlate Mechanical Properties with Molecular Dynamics in Soft Matter, *Ann. Trans. Nordic Rheology Society*, 24 (2016) 33-39.

- [38] J.H. Sommerling, A.J. Simon, A. Haber, M.L. Johns, G. Guthausen, H. Nirschl, Interpretation of NMR diffusometry data regarding droplet size distributions in micro- and nanoemulsions, in: J. van Duynhoven, G. Guthausen (Eds.) Proceedings of the XIII International Conference on the Applications of Magnetic Resonance in Food Science, IM Publications, 2016, pp. 67-71.
- [39] N. Zientek, C. Laurain, K. Meyer, A. Paul, D. Engel, G. Guthausen, M. Kraume, M. Maiwald, Automated data evaluation and modelling of simultaneous ^{19}F – ^1H medium-resolution NMR spectra for online reaction monitoring, *Magn. Res. Chem.*, 54 (2016) 513-520.
- [40] K. Meyer, S. Kern, N. Zientek, G. Guthausen, M. Maiwald, Process control with compact NMR, *TrAC Trends in Analytical Chemistry*, 83 (2016) 39-52.
- [41] G. Guthausen, J.R. Machado, B. Luy, A. Baniodeh, A.K. Powell, S. Krämer, F. Ranzinger, M.P. Herrling, S. Lackner, H. Horn, Characterisation and Application of Ultra-High Spin Clusters as Magnetic Resonance Relaxation Agents, *Dalton T*, 44 (2015) 5032–5040.
- [42] E. Förster, J. Becker, F. Dalitz, B. Görling, B. Luy, H. Nirschl, G. Guthausen NMR Investigations on the Aging of Motor Oils, *Energ. Fuel.*, 29 (2015) 7204-7212.
- [43] U.S. Schmidt, R. Bernewitz, G. Guthausen, H.P. Schuchmann, Investigation and application of measurement techniques for the determination of the encapsulation efficiency of O/W/O multiple emulsions stabilized by hydrocolloid gelation, *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 475 (2015) 55-61.
- [44] L. Cuny, M.P. Herrling, G. Guthausen, H. Horn, M. Delay, Magnetic resonance imaging reveals detailed spatial and temporal distribution of iron-based nanoparticles transported through water-saturated porous media, *J Contam Hydrol*, 182 (2015) 51–62.
- [45] M.A. Vargas, A. Sanchez, G. Guthausen, O. Manero, Viscoelastic behaviour of asphalt modified by grafted tri-block copolymers: predictions of fractional rheological models, *Int J Pavement Eng*, 16 (2015) 730-744.
- [46] M.A. Vargas, H. Vazquez, G. Guthausen, Non-isothermal curing kinetics and physical properties of MMT-reinforced unsaturated polyester (UP) resins, *Thermochim Acta*, 611 (2015) 10-19.
- [47] M.P. Herrling, G. Guthausen, M. Wagner, S. Lackner, H. Horn, Determining the Flow Regime in a Biofilm Carrier by Means of Magnetic Resonance Imaging, *Biotechnol. Bioeng.*, 112 (2015) 1023-1032.
- [48] F. Dalitz, L. Kreckel, M. Maiwald, G. Guthausen, Quantitative Medium-Resolution NMR Spectroscopy under Non-Equilibrium Conditions Studied on the Example of an Esterification Reaction, *Appl. Magn. Reson.*, 45 (2014) 411-425.
- [49] M. Horvat, G. Guthausen, P. Tepper, L. Falco, H.P. Schuchmann, Non-destructive, quantitative characterization of extruded starch-based products by magnetic resonance imaging and X-ray microtomography, *J. Food Eng.*, 124 (2014) 122–127.
- [50] R. Bernewitz, U.S. Schmidt, H.P. Schuchmann, G. Guthausen, Structure of and Diffusion in O/W/O Double Emulsions by CLSM and NMR – Comparison with W/O/W, *J. Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 458 (2014) 10–18.
- [51] N.C. Merkel, C. Römich, R. Bernewitz, H. Künemund, M. Gleiss, S. Sauer, T.J.S. Schubert, G. Guthausen, K. Schaber, Thermophysical Properties of the Binary Mixture of Water plus Diethylmethylammonium Trifluoromethanesulfonate and the Ternary Mixture of Water plus Diethylmethylammonium Trifluoromethanesulfonate plus Diethylmethylammonium Methanesulfonate, *J. Chem. Eng. Data*, 59 (2014) 560-570.
- [52] G. Guthausen, V. Röntzsch, C. Biquet, S. Schlabach, M. Wilhelm, Investigation of Polymer-Filler Interactions in TiO_2 -Filled Poly(*n*-alkyl methacrylates) by Low-Field NMR Relaxometry, *Macromol. Chem. Phys.*, 215 (2014) 851-858.
- [53] J. Höpfner, G. Guthausen, K. Saalwächter, M. Wilhelm Network Structure and Inhomogeneities of Model and Commercial Polyelectrolyte Hydrogels as Investigated by Low-Field Proton NMR Techniques, *Macromolecules*, 47 (2014) 4251–4265.
- [54] J.R. Machado, A. Baniodeh, A.K. Powell, B. Luy, S. Krämer, G. Guthausen, NMR relaxivities - Investigations of Ultra High Spin Lanthanide Clusters from 10 MHz to 1.4 GHz, *Chem. Phys. Chem.*, 15 (2014) 3608-3613.

- [54] V. Röntzsch, K.-F. Rätzsch, G. Guthausen, S. Schlabach, M. Wilhelm, Molecular Dynamics of Polymer Composites Using Rheology and Combined RheoNMR on the Example of TiO₂-Filled Poly(*n*-Alkyl Methacrylates) and Trans-1,4-Polyisoprene, *Soft Mater.*, 12 (2014) S4–S13.
- [55] N. Zientek, G. Guthausen, M. Maiwald, NMR-Spektroskopie im Feld?, *CIT-Plus*, 12 (2014) 25–26.
- [56] N. Zientek, C. Laurain, K. Meyer, M. Kraume, G. Guthausen, M. Maiwald, Simultaneous 19F–1H medium resolution NMR spectroscopy for online reaction monitoring, *J. Magn. Reson.*, 249 (2014) 53-62.
- [57] R. Bernewitz, M. Horvat, H.P. Schuchmann, G. Guthausen, Structures in food: Possibilities of imaging and diffusometry, in: J. van Duynhoven (Ed.) *Magnetic Resonance in Food Science - Food for Thought*, Royal Society of Chemistry, 2013, pp. 91-102.
- [58] R. Bernewitz, F. Dalitz, K. Köhler, H.P. Schuchmann, G. Guthausen, Characterisation of multiple emulsions by NMR spectroscopy and diffusometry, *Micropor. Mesopor. Mat.*, 178 (2013) 69-73.
- [59] N. Dingenouts, T. Meins, K. Hyun, B. Struth, K. Rätzsch, C. Friedrich, G. Guthausen, M. Wilhelm, Combined methods in rheology: Rheo-SAXS, Rheo-NMR and Rheo-dielectric to gain unique correlations, in: *Polymer Processing Society 29th Annual Meeting, Nuremberg, 2013*.
- [60] M.A. Vargas, K. Sachsenheimer, G. Guthausen, In-situ investigations on the curing of a polyester resin, *Polym. Test.*, 31 (2012) 127-135.
- [61] F. Dalitz, M. Maiwald, G. Guthausen, Considerations on the design of flowcells in by-pass systems for process analytical applications and its influence on the flow profile using NMR and CFD, *Chem. Eng. Sci.*, 75 (2012) 318-326.
- [62] F. Dalitz, M. Cudaj, M. Maiwald, G. Guthausen, Process and reaction monitoring by low-field NMR spectroscopy, *Prog. Nucl. Magn. Reson. Spectr.*, 60 (2012) 52-70.
- [63] S. Schuster, R. Bernewitz, G. Guthausen, J. Zapp, A.M. Greiner, K. Köhler, H.P. Schuchmann, Analysis of W1/O/W2 double emulsions with CLSM: Statistical image processing for droplet size distribution, *Chem. Eng. Sci.*, 81 (2012) 84–90.
- [64] F. Dalitz, A. Steiwand, K. Raffelt, H. Nirschl, G. Guthausen, 1H NMR Techniques for Characterization of Water Content and Viscosity of Fast Pyrolysis Oils, *Energ. Fuel.*, 26 (2012) 5274-5280.
- [65] M. Cudaj, J. Cudaj, T. Hofe, L. Luy, M. Wilhelm, G. Guthausen, Polystyrene Solutions: Characterization of molecular motional modes by spectrally resolved low and high field NMR relaxation, *Macromol. Chem. Phys.*, 213 (2012) 1833-1840.
- [66] M. Cudaj, G. Guthausen, T. Hofe, M. Wilhelm, Online Coupling of Size-Exclusion Chromatography and Low-Field 1H NMR Spectroscopy, *Macromol. Chem. Phys.*, 213 (2012) 1933-1943.
- [67] M.A. Vargas, G. Guthausen NMR in process monitoring of polymeric reactions, *Current Trends in Polymer Science*, 16 (2012) 29-48.
- [68] G. Guthausen, Produkt- und Prozesscharakterisierung mittels NMR-Methoden, in: *MVM CIW, KIT Karlsruhe, Logos Berlin, 2012*, pp. 220.
- [69] G. Guthausen, F. Dalitz, N. Zientek, H. Nirschl, M. Kraume, M. Maiwald, Applikationen der Medium-Resolution-NMR-Spektroskopie in der Prozessanalytik: Potenzial und Herausforderungen, *Chem. Ing. Tech.*, 84 (2012) 1364.
- [70] M. Cudaj, G. Guthausen, T. Hofe, M. Wilhelm, SEC-MR-NMR: Online coupling of size exclusion chromatography and medium resolution NMR spectroscopy, *Macromol. Rapid Comm.*, 32 (2011) 665-670.
- [71] M. Cudaj, T. Hofe, M. Wilhelm, M.A. Vargas, G. Guthausen, Medium resolution NMR at 20 MHz: Possibilities and challenges, in: J.-P. Renou, P.S. Belton, G.A. Webb (Eds.) *Magnetic Resonance in Food Science: An Exciting Future*, RSC Publishing, Cambridge, 2011, pp. 84-91.
- [72] R. Bernewitz, X. Guan, G. Guthausen, F. Wolf, H.P. Schuchmann, PFG-NMR on double emulsions: a detailed look into molecular processes, in: J.-P. Renou, P.S. Belton, G.A. Webb (Eds.) *Magnetic Resonance in Food Science: An Exciting Future*, RSC Publishing, Clermont-Ferrant, 2011, pp. 39-46.
- [73] A. Kamlowski, T. Hofe, M. Cudaj, M. Wilhelm, G. Guthausen, Analysesystem mit Kopplung von GPC und NMR-Spektroskopie, insbesondere für die Analyse von polymerhaltigen Messproben, in: 2011.

- [74] R. Bernewitz, G. Guthausen, H.P. Schuchmann, NMR on emulsions: characterisation of liquid dispersed systems, *Magn. Res. Chem.*, 49 (2011) S93-S104.
- [75] K. Hailu, G. Guthausen, W. Becker, A. König, A. Bendfeld, E. Geissler, In-situ characterization of the cure reaction of HTPB and IPDI by simultaneous NMR and IR measurements, *Polym. Test.*, 29 (2010) 513-519.
- [76] M.A. Vargas, M. Cudaj, K. Hailu, K. Sachsenheimer, G. Guthausen, Online low-field ^1H -NMR spectroscopy: Monitoring of emulsion polymerization of Butyl Acrylate, *Macromolecules*, 43 (2010) 5561-5568.
- [77] M. Cudaj, G. Guthausen, A. Kamlowksi, D. Maier, T. Hofe, M. Wilhelm, Ein Spektrometer für die spektral aufgelöste Niederfeld-NMR, *Nachrichten aus Chemie*, 58 (2010) 1155-1157.
- [78] X.Z. Guan, K. Hailu, G. Guthausen, F. Wolf, R. Bernewitz, H.P. Schuchmann, PFG-NMR on W1/O/W2-emulsions: Evidence for molecular exchange between water phases, *Eur. J. Lipid Sci. Tech.*, 112 (2010) 828-837.
- [79] F. Wolf, L. Hecht, H.P. Schuchmann, E.H. Hardy, G. Guthausen, Preparation of W1/O/W2 emulsions and droplet size distribution measurements by pulsed-field gradient nuclear magnetic resonance (PFG-NMR) technique, *Eur. J. Lipid Sci. Tech.*, 111 (2009) 723-729.
- [80] G. Guthausen, A. von Garnier, R. Reimert, Investigation of hydrogenation of toluene to methylcyclohexane in a trickle bed reactor by low-field Nuclear Magnetic Resonance Spectroscopy, *Appl. Spectrosc.*, 63 (2009) 1121-1127.
- [81] G. Guthausen, A. Kamlowksi, Developments in time domain and single sided NMR, in: M. Guojonsdottir, P. Belton, G.A. Webb (Eds.) *Magnetic Resonance in Food Science: Challenges in a Changing World*, RSC Publisher, Nordic House, Reykjavik, Iceland, 2009, pp. 46-56.
- [82] D. Mertens, E.H. Hardy, B. Hochstein, G. Guthausen, A Low-Field-NMR Capillary Rheometer, in: M. Gudjonsdottir, G.A. Webb, P.S. Belton (Eds.) *Magnetic Resonance in Food Science: Challenges in a Changing World*, The Royal Society of Chemistry, Cambridge, 2009, pp. 81-88.
- [83] T. Rudi, G. Guthausen, W. Burk, C.T. Reh, H.D. Isengard, Simultaneous determination of fat and water content in caramel using time domain NMR, *Food Chem.*, 106 (2008) 1375-1378.
- [84] P. Höfer, G. Parigi, C. Luchinat, P. Carl, G. Guthausen, M. Reese, T. Carlomagno, C. Griesinger, M. Bennati, Field dependent dynamic nuclear polarization with radicals in aqueous solution, *J. Am. Chem. Soc.*, 130 (2008) 3254-3255.
- [85] G. Guthausen, H. Todt, W. Burk, D. Schmalbein, A. Guthausen, A. Kamlowksi, Single-Sided NMR in Foods, in: G.A. Webb (Ed.) *Modern Magnetic Resonance, Part 1: Applications in Chemistry, Biological and Marine Sciences*, Springer, Dordrecht (NL), 2006/2008, pp. 1895-1898.
- [86] G. Guthausen, H. Todt, W. Burk, D. Schmalbein, A. Kamlowksi, Time-Domain NMR in Quality Control: More Advanced Methods, in: *Modern Magnetic Resonance, Part 1: Applications in Chemistry, Biological and Marine Sciences*, Springer, Dordrecht (NL), 2006/2008, pp. 1735-1738
- [87] J.E. Tillich, G. Guthausen, M. Holz, Combination of Time-Dependent Self-Diffusion Measurements (Dynamic Imaging) with Magnetic Resonance Imaging, *Chem. Eng. Technol.*, 29 (2006) 862-867.
- [88] H. Todt, G. Guthausen, W. Burk, D. Schmalbein, A. Kamlowksi, Water/moisture and fat analysis by time-domain NMR, *Food Chem.*, 96 (2006) 436-440.
- [89] H. Todt, G. Guthausen, W. Burk, D. Schmalbein, A. Kamlowksi, Time-Domain NMR in Quality Control: Standard Application in Food, in: G.A. Webb (Ed.) *Modern Magnetic Resonance*, Springer, Berlin, 2006, pp. 1717-1721.
- [90] J. Corver, G. Guthausen, A. Kamlowksi, In-line non-contact check weighing (NCCW) with nuclear magnetic resonance (NMR) presents new opportunities and challenges in process control, *Pharmaceutical Engineering*, 25 (2005) 18-30.
- [91] A. Guthausen, G. Guthausen, A. Kamlowksi, H. Todt, W. Burk, D. Schmalbein, Measurement of fat content of food with single-sided NMR, *J. Am. Oil Chem. Soc.*, 81 (2004) 727-731.
- [92] G. Bizzaro, R. Melzi, F. Tedoldi, M. Kloza, D. Maier, G. Guthausen, Single-Sided NMR with the mq-ProFiler, *Spin Report*, 156 (2004).

- [93] G. Guthausen, J. König, A. Kamlowski, *Comprehensive Quality Control of Food: Fat, Water, and Protein Determination by Combined Relaxation Analysis using Time-Domain NMR*, Spin Report, 154 (2004) 41-44.
- [94] G. Guthausen, H. Todt, W. Burk, A. Kamlowski, D. Schmalbein, *Quality control with NMR: Selected examples and applications in polymer industry*, Kaut. Gummi Kunstst., 56 (2003) 578-581.
- [95] C. Heinen, H. Buggisch, G. Guthausen, *Flow of newtonian/non-newtonian fluids in a bundle of tubes and in a packing of beads by MRI*, Magn. Reson. Imaging, 21 (2003) 377-379.
- [96] C. Heinen, G. Guthausen, H. Buggisch, *Determination of the power law exponent from magnetic resonance imaging (MRI) flow data*, Chem. Eng. Technol., 25 (2002) 873-877.
- [97] H. Todt, W. Burk, G. Guthausen, A. Guthausen, A. Kamlowski, D. Schmalbein, *Quality control with time-domain NMR*, Eur. J. Lipid Sci. Tech., 103 (2001) 835-840.
- [98] C. Heinen, G. Guthausen, H. Buggisch, *Determination of the power law exponential from magnetic resonance imaging flow data*, Chem. Ing. Tech., 73 (2001) 1290-1294.
- [99] G. Guthausen, A. Guthausen, F. Balibanu, R. Eymael, K. Hailu, U. Schmitz, B. Blümich, *Soft-matter analysis by the NMR-MOUSE*, Macromol. Mater. Eng., 276 (2000) 25-37.
- [100] B. Blümich, P. Blümler, L. Gasper, A. Guthausen, V. Gobbels, S. Laukemper-Ostendorf, K. Unseld, G. Zimmer, *Spatially resolved NMR in polymer science*, Macromol Symp, 141 (1999) 83-93.
- [101] A. Guthausen, G. Zimmer, P. Blümler, B. Blümich, *Analysis of polymer materials by surface NMR via the MOUSE*, J. Magn. Reson., 130 (1998) 1-7.
- [102] B. Blümich, P. Blümler, G. Eidmann, A. Guthausen, R. Haken, U. Schmitz, K. Saito, G. Zimmer, *The NMR-MOUSE: Construction, excitation, and applications*, Magn. Reson. Imaging, 16 (1998) 479-484.
- [103] A. Guthausen, G. Zimmer, S. Laukemper-Ostendorf, P. Blümler, B. Blümich, *NMR- Bildgebung und Materialforschung*, Chem. Unserer Zeit, 32 (1998) 73-82.
- [104] G. Zimmer, A. Guthausen, B. Blümich, *Characterization of cross-link density in technical elastomers by the NMR-MOUSE*, Solid State Nucl. Magn. Reson., 12 (1998) 183-190.
- [105] B. Blümich, P. Blümler, A. Guthausen, C. Fülber, G. Eidmann, R. Savelsberg, *Spatially resolved analysis of crosslink densities by NMR*, Kaut. Gummi Kunstst., 50 (1997) 560-563.
- [106] G. Zimmer, A. Guthausen, U. Schmitz, K. Saito, B. Blümich, *Weathering investigation of PVC coatings on iron sheets by the NMR-MOUSE*, Adv. Mater., 9 (1997) 987-&.
- [107] F. Rachdi, C. Goze, L. Hajji, K.F. Thier, G. Zimmer, M. Mehring, M. NunezRegueiro, *High resolution NMR studies of one and two dimensional polymerized C60*, Applied Physics A - Materials Science & Processing, 64 (1997) 295-299.
- [108] G. Zimmer, M. Mehring, F. Rachdi, J.E. Fischer, *Vortex dynamics in Rb3C60 observed by 87Rb and 13C NMR*, Phys. Rev. B, 54 (1996) R3768-R3771.
- [109] G. Zimmer, K.F. Thier, M. Mehring, F. Rachdi, J.E. Fischer, *87Rb NMR and the T' problem in Rb3C60*, Phys. Rev. B, 53 (1996) 5620-5625.
- [110] G. Zimmer, K.F. Thier, M. Mehring, F. Rachdi, *NMR on alkali fullerenes*, Appl. Magn. Reson., 11 (1996) 263-283.
- [111] K.F. Thier, G. Zimmer, M. Mehring, F. Rachdi, *NMR investigation of the electronic structure of the RbC60 polymer phase*, Phys. Rev. B, 53 (1996) R496-R499.
- [112] G. Zimmer, M. Mehring, C. Goze, F. Rachdi, *Rotational-Dynamics of C60(4-) and Electronic Excitation in Rb4C60*, Phys. Rev. B, 52 (1995) 13300-13305.
- [112] T. Kälber, G. Zimmer, M. Mehring, *Phase-Separation and Phase-Transitions in KC60 - a 13C NMR-Study*, Phys. Rev. B, 51 (1995) 16471-16474.
- [114] F. Rachdi, C. Goze, J. Reichenbach, J. Lukyanchuk, N. Kirova, G. Zimmer, M. Mehring, P. Molinie, *Alkali-Intercalated C60 - NMR and Magnetic-Susceptibility Studies*, Acta Phys Pol A, 87 (1995) 861-867.
- [115] T. Kälber, G. Zimmer, M. Mehring, *Evidence for sp(3)-Carbons in Rb1C60 from 13C MAS NMR*, Z Phys B Con Mat, 97 (1995) 1-2.
- [116] J. Reichenbach, F. Rachdi, I. Lukyanchuk, M. Ribet, G. Zimmer, M. Mehring, *High-Resolution 13C Nuclear-Magnetic-Resonance in Alkali-Intercalated Fullerene C60*, J. Chem. Phys., 101 (1994) 4585-4592.

- [117] M. Mehring, F. Rachdi, G. Zimmer, Analysis of the ^{13}C Knight-Shift and Spin-Lattice Relaxation in $\text{A}_3\text{C}_6\text{O}$ (a=Rb or K), *Philos. Mag. B*, 70 (1994) 787-794.
- [118] G. Zimmer, M. Helmle, M. Mehring, F. Rachdi, Lattice-Dynamics and ^{13}C Paramagnetic Shift in $\text{K}_4\text{C}_6\text{O}$, *Europhys Lett*, 27 (1994) 543-548.
- [119] G. Zimmer, M. Helmle, M. Mehring, F. Rachdi, J. Reichenbach, L. Firlej, P. Bernier, Analysis of ^{87}Rb and ^{13}C Hyperfine Interaction in $\text{Rb}_3\text{C}_6\text{O}$, *Europhys Lett*, 24 (1993) 59-64.
- [120] F. Rachdi, J. Reichenbach, L. Firlej, P. Bernier, M. Ribet, R. Aznar, G. Zimmer, M. Helmle, M. Mehring, High-Resolution ^{13}C NMR of $\text{K}_6\text{C}_6\text{O}$, *Solid State Commun*, 87 (1993) 547-550.
- [121] G. Zimmer, A.C. Kolbert, M. Mehring, F. Rachdi, P. Bernier, M. Almeida, ^1H -NMR and ^{13}C -NMR in the Organic Conductor $\text{DMTM}(\text{TCNQ})_2$, *Synthetic Met*, 56 (1993) 1821-1826.
- [122] G. Zimmer, A.C. Kolbert, M. Mehring, F. Rachdi, P. Bernier, M. Almeida, Isotropic and Anisotropic ^{13}C Knight-Shifts in the Organic Conductor $\text{DMTM}(\text{TCNQ})_2$ - NMR Evidence for an Interstack Charge-Transfer at the Inverted Peierls Transition, *Phys. Rev. B*, 47 (1993) 763-768.
- [123] A.C. Kolbert, G. Zimmer, F. Rachdi, P. Bernier, M. Almeida, M. Mehring, Locally Resolved ^1H Knight-Shifts and the Order-Disorder Phase-Transition in the Organic Conductor N,N -Dimethyl-Thiomorpholinium Bis-Tetracyanoquinodimethane [$\text{DMTM}(\text{TCNQ})_2$], *Phys. Rev. B*, 46 (1992) 674-681.
- [124] G. Zimmer, A.C. Kolbert, F. Rachdi, P. Bernier, M. Almeida, M. Mehring, An EPR Crystallographic Study of the Organic Conductor $\text{DMTM}(\text{TCNQ})_2$, *Chem. Phys. Lett.*, 182 (1991) 673-676.