

DFG-Gerätezentrum Pro²NMR

Leiter: Prof. Dr.-Ing. Hermann Nirschl, MVM
Prof. Dr. Harald Horn, EBI

- [1] S. Schuhmann, J.W. Simkins, N. Schork, S.L. Codd, J.D. Seymour, M. Heijnen, F. Saravia, H. Horn, H. Nirschl, G. Guthausen, Characterization and quantification of structure and flow in multichannel polymer membranes by MRI, *J. Membrane Sci.*, 570-571 (2019) 472-480.
- [2] M.A. Vargas, M. Scheubner, G. Guthausen, Reaction kinetics of polyfurfuryl alcohol bioresin and nanoparticles by ¹H-NMR transverse relaxation measurements, *Polym Composite*, 39 (2018) 3280-3288
- [3] N. Schork, S. Schuhmann, F. Arndt, S. Schütz, G. Guthausen, H. Nirschl, MRI investigations of filtration: Fouling and cleaning processes, *Micropor. Mesopor. Mat.*, 269 (2018) 60-64.
- [4] E. Laryea, N. Schuhardt, G. Guthausen, T. Oerther, M. Kind, Construction of a temperature controlled Rheo-NMR measuring cell – Influence of fluid dynamics on PMMA-polymerization kinetics, *Micropor. Mesopor. Mat.*, 269 (2018) 65-70.
- [5] F. Klemens, S. Schuhmann, G. Guthausen, G. Thäter, M.J. Krause, CFD-MRI: A coupled measurement and simulation approach for accurate fluid flow characterisation and domain identification, *Comput Fluids*, 166 (2018) 218-224.
- [6] C. Linke, G. Guthausen, E. Flöter, S. Drusch, Solid Fat Content Determination of Dispersed Lipids by Time-Domain NMR, *Eur. J. Lipid Sci. Tech.*, 1700132 (2018) 1-8.
- [7] V. Röntzsch, M. Haas, M.B. Özen, K.-F. Rätzsch, K. Riazi, S. Kauffmann-Weiss, J.K. Palacios, A.J. Müller, I. Vittorias, G. Guthausen, M. Wilhelm, Polymer crystallinity and crystallization kinetics via benchtop ¹H NMR relaxometry: Revisited method, data analysis, and experiments on common polymers, *Polymer*, 145 (2018) 162-173.
- [8] M. Kespe, E. Förster, H. Nirschl, G. Guthausen, Flowing Liquids in NMR: Numerical CFD Simulation and Experimental Confirmation of Magnetization Buildup, *Appl. Magn. Reson.*, 49 (2018) 687-705.
- [9] X. Guo, S. Theissen, J. Claussen, V. Hildebrand, J. Kamphus, M. Wilhelm, B. Luy, G. Guthausen, Topological Insight into Superabsorbent Hydrogel Network Structures: a ¹H Double-Quantum NMR Study, *Macromol. Chem. Phys.*, 219 (2018) 1800100.
- [10] S. Schuhmann, N. Schork, K. Beller, H. Nirschl, T. Oerther, G. Guthausen, In-situ characterization of deposits in ceramic hollow fiber membranes by compressed sensing RARE-MRI, *Aiche J*, 64 (2018) 4039–4046.
- [11] V. Röntzsch, M.B. Özen, K. Rätzsch, E. Stellamanns, M. Sprung, G. Guthausen, M. Wilhelm Polymer crystallization studied by hyphenated rheology techniques: RheoNMR, RheoSAXS, and RheoMicroscopy, *Macromol. Mater. Eng.*, 1800586 (2018) 1-14.
- [12] M.-L. Maier, S. Milles, S. Schuhmann, G. Guthausen, H. Nirschl, M.J. Krause, Fluid flow simulations verified by measurements to investigate adsorption processes in a static mixer, *Comput Math Appl*, 76 (2018) 2744-2757.
- [13] E. Förster, H. Nirschl, G. Guthausen, NMR Diffusion and Relaxation for Monitoring of Degradation in Motor Oils, *Appl. Magn. Reson.*, 48 (2017) 51-65.
- [14] F. Arndt, S. Schuhmann, G. Guthausen, S. Schütz, H. Nirschl, In situ MRI of alginate fouling and flow in ceramic hollow fiber membranes, *J. Membrane Sci.*, 524 (2017) 691-699.
- [15] D. Groß, K. Zick, G. Guthausen, Recent MRI and Diffusion Studies of Food Structures, *Annu. Rep. NMR Spectr.*, 90 (2017) 145-197.
- [16] G. Guthausen, Diffusometric Assessment of Food Double Emulsions, in: G.A. Webb (Ed.) *Modern Magnetic Resonance*, Springer International Publishing, Cham, 2017, pp. 1-13.
- [17] S. Bestgen, O. Fuhr, B. Breitung, V.S. Kiran Chakravadhanula, G. Guthausen, F. Hennrich, W. Yu, M.M. Kappes, P.W. Roesky, D. Fenske, [Ag₁15S₃₄(SCH₂C₆H₄ Bu-t)(47)(dpph)(6)]: synthesis, crystal structure and NMR investigations of a soluble silver chalcogenide nanocluster, *Chem. Sci.*, 8 (2017) 2235-2240.
- [18] V. Röntzsch, M.B. Özen, K.-F. Rätzsch, G. Guthausen, M. Wilhelm, Shear Rheology and ¹H TD-NMR Combined to Low-Field RheoNMR: Set-Up and Application to Quiescent and Flow-Induced Crystallization of Polymers, in: *AIP Conference Proceedings 1843 (Ed.) Novel Trends in Rheology VII*, 2017.
- [19] M.P. Herrling, J. Weisbrodt, C.M. Kirkland, N.H. Williamson, S. Lackner, S.L. Codd, J.D. Seymour, G. Guthausen, H. Horn, NMR investigation of water diffusion in different biofilm structures, *Biotechnol. Bioeng.*, 114 (2017) 2857-2867.
- [20] X. Guo, E. Laryea, M. Wilhelm, B. Luy, H. Nirschl, G. Guthausen, Diffusion in Polymer Solutions: Molecular Weight Distribution by PFG-NMR and Relation to SEC, *Macromol. Chem. Phys.*, 218 (2017) 1600440; 1600441-1600410.
- [21] S. Pollnow, A. Noshadi, M. Kircher, G. Guthausen, T. Oerther, O. Dössel, 3D reconstruction of ablation lesions from in-vitro preparations using MRI, in: *Current Directions in Biomedical Engineering*, 2017, pp. 437.
- [22] N.H. Schork, H.-J.; Schopf, R.; Arndt, F.; Schuhmann, S.; Guthausen, G.; Nirschl, H.; Kulozik, U., Milk protein fractionation by means of microfiltration, An in-situ investigation of fouling formation on hollow fiber membranes – Part 3, *International Dairy Magazine*, 10 (2017) 3.
- [23] F. Ranzinger, M.P. Herrling, S. Lackner, V.W. Grande, A. Baniodeh, A.K. Powell, H. Horn, G. Guthausen, Direct surface visualization of biofilms with high spin coordination clusters using magnetic resonance imaging, *Acta Biomaterialia*, 31 (2016) 167–177.

- [24] P. Tzvetkova, B. Luy, Q.E.COSY: determining sign and size of small deuterium residual quadrupolar couplings using an extended E.COSY principle, *Magn. Res. Chem.*, (2016) 351-357.
- [25] T.S. Fischer, D. Schulze-Sünninghausen, B. Luy, O. Altintas, C. Barner-Kowollik, Chemisch gesteuerte schrittweise Entfaltung von Einzelketten-Nanopartikeln, *Angewandte Chemie*, 128 (2016) 11446 - 11450.
- [26] M.R.M. Koos, G. Kummerlöwe, L. Kaltschnee, C.M. Thiele, B. Luy, CLIP-COSY: A Clean In-Phase Experiment for the Rapid Acquisition of COSY-type Correlations, *Angew. Chem. Int. Ed.*, (2016).
- [27] M.P. Herrling, S. Lackner, O. Tatti, G. Guthausen, M. Delay, M. Franzreb, H. Horn, Short and long term biosorption of silica-coated iron oxide nanoparticles in heterotrophic biofilms, *Sci Total Environ*, 544 (2016) 722-729.
- [28] V. Rántzsch, M. Wilhelm, G. Guthausen, Hyphenated low-field NMR techniques: combining NMR with NIR, GPC/SEC and rheometry, *Magn. Res. Chem.*, 54 (2016) 494–501.
- [29] G. Guthausen Analysis of food and emulsions, *Trends in Analytical Chemistry*, 83 (2016) 103-105.
- [30] F. Arndt, U. Roth, H. Nirschl, S. Schütz, G. Guthausen, New Insights into Sodium Alginate Fouling of Ceramic Hollow Fiber Membranes by NMR Imaging, *Aiche J*, 62 (2016) 2459-2467.
- [31] J. Perlo, C. Mülder, E. Danieli, C. Hopmann, B. Blümich, F. Casanova, Digital processing of images of extruded rubber profiles for process control MRI, *Measurement*, 82 (2016) 466-475.
- [32] M. Goldbach, E. Danieli, J. Perlo, B. Kaptein, V.M. Litvinov, B. Blümich, F. Casanova, A.L.L. Duchateau, Preparation of Grignard reagents from magnesium metal under continuous flow conditions and on-line monitoring by NMR spectroscopy, *Tetrahedron Lett*, 57 (2016) 122-125.
- [33] L. Vermeir, P. Sabatino, M. Balcaen, A. Declerck, K. Dewettinck, J.C. Martins, G. Guthausen, P. Van der Meeren, Effect of molecular exchange on water droplet size analysis as determined by diffusion NMR: The W/O/W double emulsion case, *J. Colloid Interf. Sci.*, 475 (2016) 57-65.
- [34] E. Hildebrandt, A. Dessy, J.-H. Sommerling, G. Guthausen, H. Nirschl, G. Lenewit, Interactions between Phospholipids and Organic Phases: Insights into Lipoproteins and Nanoemulsions, *Langmuir*, 32 (2016) 5821-5829.
- [35] J.H. Sommerling, A.J. Simon, A. Haber, M.L. Johns, G. Guthausen, H. Nirschl, Interpretation of NMR diffusometry data regarding droplet size distributions in micro- and nanoemulsions, in: J. van Duynhoven, G. Guthausen (Eds.) *Proceedings of the XIII International Conference on the Applications of Magnetic Resonance in Food Science*, IM Publications, 2016, pp. 67-71.
- [36] M.R.M. Koos, E. Danieli, F. Casanova, B. Blümich, B. Luy, Differentiation of enantiomers by 2D NMR spectroscopy at 1 T using residual dipolar couplings, *Magn. Res. Chem.*, 54 (2016) 527-530.
- [37] N. Zientek, C. Laurain, K. Meyer, A. Paul, D. Engel, G. Guthausen, M. Kraume, M. Maiwald, Automated data evaluation and modelling of simultaneous 19F–1H medium-resolution NMR spectra for online reaction monitoring, *Magn. Res. Chem.*, 54 (2016) 513-520.
- [38] K. Meyer, S. Kern, N. Zientek, G. Guthausen, M. Maiwald, Process control with compact NMR, *TrAC Trends in Analytical Chemistry*, 83 (2016) 39-52.
- [39] G. Guthausen, J.R. Machado, B. Luy, A. Baniodeh, A.K. Powell, S. Krämer, F. Ranzinger, M.P. Herrling, S. Lackner, H. Horn, Characterisation and Application of Ultra-High Spin Clusters as Magnetic Resonance Relaxation Agents, *Dalton T*, 44 (2015) 5032–5040.
- [40] E. Förster, J. Becker, F. Dalitz, B. Görling, B. Luy, H. Nirschl, G. Guthausen NMR Investigations on the Aging of Motor Oils, *Energ. Fuel.*, 29 (2015) 7204-7212.
- [41] O. Altintas, D. Schulze-Suenninghausen, B. Luy, C. Barner-Kowollik, ABC-type miktoarm star terpolymers accessed by H-bonding driven supramolecular self-assembly, *Eur. Polym. J.*, 62 (2015) 409-417.
- [42] U.S. Schmidt, R. Bernewitz, G. Guthausen, H.P. Schuchmann, Investigation and application of measurement techniques for the determination of the encapsulation efficiency of O/W/O multiple emulsions stabilized by hydrocolloid gelation, *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 475 (2015) 55-61.
- [43] L. Cuny, M.P. Herrling, G. Guthausen, H. Horn, M. Delay, Magnetic resonance imaging reveals detailed spatial and temporal distribution of iron-based nanoparticles transported through water-saturated porous media, *J Contam Hydrol*, 182 (2015) 51–62.
- [44] M.A. Vargas, H. Vazquez, G. Guthausen, Non-isothermal curing kinetics and physical properties of MMT-reinforced unsaturated polyester (UP) resins, *Thermochim Acta*, 611 (2015) 10-19.
- [45] M. Pöhnlein, J. Ulrich, F. Kirschhöfer, M. Nusser, C. Muhle-Goll, B. Kannengiesser, G. Brenner-Weiss, B. Luy, A. Liese, C. Sylдатk, R. Hausmann, Lipase-catalyzed synthesis of glucose-6-O-hexanoate in deep eutectic solvents, *Eur. J. Lipid Sci. Tech.*, 117 (2015) 161-166.
- [46] J.H. Kügler, C. Muhle-Goll, S.H. Hansen, A.R. Völp, F. Kirschhöfer, B. Kühl, G. Brenner-Weiss, B. Luy, C. Sylдатk, R. Hausmann, Glycolipids produced by *Rouxiella* sp DSM 100043 and isolation of the biosurfactants via foam-fractionation, *AMB Express*, 5 (2015).
- [47] J.H. Kügler, A. Kraft, S. Heissler, C. Muhle-Golle, B. Luy, W. Schwack, C. Sylдатk, R. Hausmann, Extracellular aromatic biosurfactant produced by *Tsukamurella pseudospumae* and *T-spumae* during growth on n-hexadecane, *Journal of Biotechnology*, 211 (2015) 107-114.
- [48] M.R.M. Koos, H. Feyrer, B. Luy, Broadband excitation pulses with variable RF amplitude-dependent flip angle (RADFA), *Magn. Res. Chem.*, 53 (2015) 886-893.

- [49] A.F. Hirschbiel, W. Konrad, D. Schulze-Sünninghausen, S. Wiedmann, B. Luy, B.V.K.J. Schmidt, C. Barner-Kowollik, Access to Multiblock Copolymers via Supramolecular Host-Guest Chemistry and Photochemical Ligation, *Acs Macro Lett*, 4 (2015) 1062-1066.
- [50] A.O. Frank, J.C. Freudenberger, A.K. Shaytan, H. Kessler, B. Luy, Direct prediction of residual dipolar couplings of small molecules in a stretched gel by stochastic molecular dynamics simulations, *Magn. Res. Chem.*, 53 (2015) 213-217.
- [51] J. Becker, B. Luy, CLIP-ASAP-HSQC for fast and accurate extraction of one-bond couplings from isotropic and partially aligned molecules, *Magn. Res. Chem.*, 53 (2015) 878-885.
- [52] J. Perlo, E.V. Sillelta, E. Danieli, G. Cattaneo, R.H. Acosta, B. Blümich, F. Casanova, Desktop MRI as a promising tool for mapping intra-aneurismal flow, *Magn. Reson. Imaging*, 33 (2015) 328-335.
- [53] M.P. Herrling, G. Guthausen, M. Wagner, S. Lackner, H. Horn, Determining the Flow Regime in a Biofilm Carrier by Means of Magnetic Resonance Imaging, *Biotechnol. Bioeng.*, 112 (2015) 1023-1032.
- [54] D. Kreyenschulte, E. Paciok, L. Regestein, B. Blümich, J. Büchs, Online monitoring of fermentation processes via non-invasive low-field NMR, *Biotechnol. Bioeng.*, 112 (2015) 1810-1821.
- [55] M.H.M. Killner, Y. Garro Linck, E. Danieli, J.J.R. Rohwedder, B. Blümich, Compact NMR spectroscopy for real-time monitoring of a biodiesel production, *Fuel*, 139 (2015) 240-247.
- [56] F. Dalitz, L. Kreckel, M. Maiwald, G. Guthausen, Quantitative Medium-Resolution NMR Spectroscopy under Non-Equilibrium Conditions Studied on the Example of an Esterification Reaction, *Appl. Magn. Reson.*, 45 (2014) 411-425.
- [57] R. Bernewitz, U.S. Schmidt, H.P. Schuchmann, G. Guthausen, Structure of and Diffusion in O/W/O Double Emulsions by CLSM and NMR – Comparison with W/O/W, *J. Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 458 (2014) 10–18.
- [58] S.S. Zalesskiy, E. Danieli, B. Blümich, V.P. Ananikov, Miniaturization of NMR Systems: Desktop Spectrometers, Microcoil Spectroscopy, and “NMR on a Chip” for Chemistry, Biochemistry, and Industry, *Chem. Rev.*, 114 (2014) 5641-5694.
- [59] G. Guthausen, V. Röntzsch, C. Biquet, S. Schlabach, M. Wilhelm, Investigation of Polymer-Filler Interactions in TiO₂-Filled Poly(n-alkyl methacrylates) by Low-Field NMR Relaxometry, *Macromol. Chem. Phys.*, 215 (2014) 851-858.
- [60] J. Höpfner, G. Guthausen, K. Saalwächter, M. Wilhelm Network Structure and Inhomogeneities of Model and Commercial Polyelectrolyte Hydrogels as Investigated by Low-Field Proton NMR Techniques, *Macromolecules*, 47 (2014) 4251–4265.
- [61] J.R. Machado, A. Baniodeh, A.K. Powell, B. Luy, S. Krämer, G. Guthausen, NMR relaxivities - Investigations of Ultra High Spin Lanthanide Clusters from 10 MHz to 1.4 GHz, *Chem. Phys. Chem.*, 15 (2014) 3608-3613.
- [62] S. Ehni, B. Luy, Robust INEPT and refocused INEPT transfer with compensation of a wide range of couplings, offsets, and B1-field inhomogeneities (COB3), *J. Magn. Reson.*, 247 (2014) 111–117.
- [63] V. Röntzsch, K.-F. Rätzsch, G. Guthausen, S. Schlabach, M. Wilhelm, Molecular Dynamics of Polymer Composites Using Rheology and Combined RheoNMR on the Example of TiO₂-Filled Poly(n-Alkyl Methacrylates) and Trans-1,4-Polyisoprene, *Soft Mater.*, 12 (2014) S4–S13.
- [64] N. Zientek, G. Guthausen, M. Maiwald, NMR-Spektroskopie im Feld?, *CIT-Plus*, 12 (2014) 25–26.
- [65] K. Bergander, D. Hüls, S.J. Glaser, H. Günther, B. Luy, A critical evaluation of heteronuclear TOCSY (HEHAHA) experiments for ¹H,⁶Li spin pairs, *Magn. Reson. Chem.*, 52 (2014) 739–744.
- [66] K. Peschko, A. Schade, S.B.L. Vollrath, U. Schwarz, B. Luy, C. Muhle-Goll, P. Weis, S. Bräse, Dendrimer-Type Peptoid-Decorated Hexaphenylxylenes and Tetraphenylmethanes: Synthesis and Structure in Solution and in the Gas Phase, *Chem. Eur. J.*, 20 (2014) 16273–16278.
- [67] M. Enders, B. Görling, A.B. Braun, J.E. Seltenreich, L.F. Reichenbach, K. Rissanen, M. Nieger, B. Luy, U. Schepers, S. Bräse, Cytotoxicity and NMR Studies of Platinum Complexes with Cyclooctadiene Ligands, *Organometallics*, 33 (2014) 4027–4034.
- [68] J.H. Kügler, C. Muhle-Goll, B. Kühl, A. Kraft, R. Heinzler, F. Kirschhöfer, M. Henkel, V. Wray, B. Luy, G. Brenner-Weiss, S. Lang, C. Syldatk, R. Hausmann, Trehalose lipid biosurfactants produced by the actinomycetes *Tsukamurella spumae* and *T-pseudospumae*, *Appl Microbiol Biot*, 98 (2014) 8905-8915.
- [69] K. Huben, M. Jewginski, A. Pabis, P. Paluch, B. Luy, S. Jankowski, The structure of cyclolinopeptide A in chloroform refined by RDC measurements, *J Pept Sci*, 20 (2014) 901-907.
- [70] J. Willenbacher, B.V.K.J. Schmidt, D. Schulze-Sünninghausen, O. Altintas, B. Luy, G. Delaitte, C. Barner-Kowollik, Reversible single-chain selective point folding via cyclodextrin driven host-guest chemistry in water, *Chem. Commun.*, 50 (2014) 7056-7059.
- [71] N. Zientek, C. Laurain, K. Meyer, M. Kraume, G. Guthausen, M. Maiwald, Simultaneous ¹⁹F–¹H medium resolution NMR spectroscopy for online reaction monitoring, *J. Magn. Reson.*, 249 (2014) 53-62.
- [72] D. Schulze-Sünninghausen, J. Becker, B. Luy, Rapid Heteronuclear Single Quantum Correlation NMR Spectra at Natural Abundance, *J. Am. Chem. Soc.*, 136 (2014) 1242-1245.
- [73] K.V. Kudryavtsev, P.M. Ivantcova, A.V. Churakov, S. Wiedmann, B. Luy, C. Muhle-Goll, N.S. Zefirov, S. Bräse, Alternating Asymmetric Self-Induction in Functionalized Pyrrolidine Oligomers, *Angew. Chem. Int. Edit.*, 52 (2013) 12736-12740.